

PUSH BUTTON



NEW !!


The **NEW CONCEPT PUSH BUTTON** is specially designed to use in familiarity with the handicapped, to make customers jobs for easier. For the handicapped, one touch can feel the floor to call without feeling after a Braille beside a numeral plate. For the Repairs & Maintenance company, it brings cost-effective solution by combing the Braille and the numeral

PUSH BUTTON

- Unsurpassed quality.
- Full compliance with ADA
- No needs of Separate Braille Sign Plate
- Beautiful and Compact design
- Cost effective solution for Manufacturing
- Wide variety of Colors for your application
- Numeral also raised for fingertips
- Highly vandal resistant
- Fixed directly from front without screw
- Braille push button t is beautifully
- 12 months warranty



1.46" (37mm)



Parts No.	Description
1	Ring Frame, 1- 3/8" diameter circle shape, different colors available if specified from your requirements.
2	HALO, faceplate in red or grey colored and others
3	PCB, micro switch installed and LED enough for easy readability
4	SCREW, terminal
5	Cover Cap, holder or cover as role to fix pushbutton against fixtures plate

PUSH BUTTON

ROUND SHAPE PUSHBUTTON, KS1021-01X



NEW !!



Now you see our new developed pushbutton in round shape!!!
Its design, function and halo colors are unique enough to
satisfy your scheme for new elevator.



Very Very easy to install, replace on your existing
Operating Panel Board, including many types,
sizes and colors for your requirements.



ACCESSORIES



Description

Connector Pin, Separately supplied available if requested. Pin has 4 ends for power supply and switch.

PUSH BUTTON

GENERAL type PUSH BUTTON



KS1021-01A

Description

1.57" x 1.57" (40 mm x 40 mm), plastic square type ring gray colored inner rim, slender face plate, WHITE colored lettering



KS1021-01N

Description

1.18" x 1.18" (30 mm x 30 mm), die casting square shape outer ring, RED colored inner rim, slender GRAY- WHITE face plate, RED lettering



KS1021-01F

Description

1.46" x 1.46" (37 mm x 37 mm), die casting round shape outer ring, slender face plate, WHITE lettering

Description

1.18" x 1.18" (30 mm x 30 mm), die casting round shape outer ring, light GRAY colored inner rim, slender GRAY - WHITE face plate, RED lettering



KS1021-01P



KS1021-01U

Description

1.46" x 1.46" (37 mm x 37 mm), die casting square shape, outer ring, light GRAY colored inner rim, slender GRAY - WHITE face plate, RED lettering

Description

1.57" x 1.57" (40 mm x 40 mm), plastic square type ring gray colored inner rim, slender face plate, WHITE colored lettering



KS1021-01V



KS1021-01Y

Description

1.18" x 1.18" (30 mm x 30 mm), die casting round shape outer ring, light GRAY colored inner rim, slender GRAY - WHITE face plate, RED lettering

BRaille type PUSH BUTTON



KS1021-02C

Description

1.46" x 1.46" (37 mm x 37mm), plastic round type ring, gray colored inner rim, slender & transparent face plate, WHITE & tactile lettering with braille sign

Description

1.57" x 1.57" (40 mm x 40mm), die-casting square shape outer ring, red colored inner rim, semi-transparent face plate, BLACK lettering & tactile lettering with braille sign



KS1021-02D