

www.daihyub-sheave.co.kr

TOTAL ELEVATOR SHEAVE MAKER – DAEHYUB

TRACTION SHEAVE
DEFLECTOR SHEAVE




(주)대협정기




DH TRACTION SHEAVE

LG전·LG산전 TYPE



No.	모형	도	PCD	H(D) D	W	중량
1	LG75 Type 201000	DH400	ø300	T.P ø70 x ø36	62	12x3
2	LG75 Type 201000	DH420	ø300	T.P ø70 x ø36	75	12x4
3	LG75 Type 202000	DH464	ø300	ø360 x 266	80	12x4
4	LG75 Type 202000	DH464	ø300	ø360 x 266	100	12x6
5	LG75 Type 202000	DH466	ø300	ø360 x 266	100	12x6
6	LG75 Type 202000	DH466	ø300	ø360 x 266	110	12x6
7	LG75 Type 203000	DH214	ø300	ø360 x 266	80	12x4
8	LG75 Type 203000	DH275	ø300	ø360 x 266	79	12x4
9	LG75 Type 340611 DM400	DH54415	ø700	ø420	160	12x6.7
10	LG75 Type 340611 DM400	DH54410	ø700	ø420	160	12x6.7
11	LG75 Type 346507M	DH175511	ø300	ø300	80	12x6
12	LG75 Type TDM	DH25A	ø300	ø34	54	12x3
13	LG75 Type TDM	DH27A	ø300	T.P ø35 x ø30.4	54	12x3
14	LG75 Type TDM	DH27A	ø300	ø34	60	12x4
15	LG75 Type TD	DH26A	ø300	ø112	80-100	12x4.5
16	LG75 Type TD	DH27A	ø300	T.P ø115.7 x ø108	80-100	12x4.5
17	LG75 Type TH500	DH500A_B	ø300	ø300	130	12x5.8
18	LG75 Type TH500	DH500A_B	ø300	ø300	130	12x6
19	LG75 Type THM	DH502	ø300	ø375	130	12x5.7
20	LG75 Type THM	DH506	ø300	ø375	130	12x5.7
21	LG75 Type TH1000	DH50028	ø300	ø400	130	12x6.7

중앙 TYPE




No.	구조	도형	PCD	내경	길이	단위
1	단기 Type TH02	P980027-P1	φ505	φ70	75	12×6
2	단기 Type TH02	P980027-P4	φ505	φ70	75	12×3
3	단기 Type TH02	P980027-P3	φ505	φ70	75	12×3
4	단기 Type TH02, TH03	P980027-P5	φ505	φ70	75	12×3
5	단기 Type TH02, TH03	P980027-P2, P6	φ600	φ70	75	12×4
6	단기 Type TH02	P980249-P1, P10	φ485	φ30	114, 134	12×4, 5
7	단기 Type TH02	P980249-P4, P12	φ505	φ30	114, 134	12×4, 5
8	단기 Type TH02	P980249-P3, P11	φ505	φ30	114, 134	12×4, 5
9	중앙 Type TH02	Z0NE02-P5, P12	φ605	φ90	114, 133	12×4, 5, 6
10	중앙 Type TH02	Z0NE02-P6, P11	φ500	φ90	114, 133	12×4, 5, 6
11	단기 Type CH-40, TH02	Z0NE02-P7 Z0NE005-7	φ500	φ90	114, 133	12×4, 5, 6





DH TRACTION SHEAVE

동양 TYPE



Ref.	형	구	도	P.C.D	W.H.D	B	길이
1	812 Type TM850	30N002-P02, P05	A=500	ø260	ø260	100	12×4.5, 6
2	812 Type TM850, CV0	30N004	A=500	ø260	ø260	100	12×5.6, 14×4.5
3	812 Type TM850, CV0	30N006	A=520	ø260	ø260	100	12×5.6, 14×4.5
4	812 Type TM850, CV0	30N006	A=540	ø260	ø260	100	12×5.6, 14×4.5
5	812 Type TM850-D	P880021-P73	A=540	ø260	ø260	100	12×5.6, 16×5
6	812 Type TM850-D	P880021-P11, P-21	A=500	ø260	ø160, 100	100	12×5.6
7	812 Type TM850-D	P880021-P5	A=520	ø260	ø260	100	12×5.6, 16×5
8	812 Type TM850-D	P880021-P10	A=525	ø260	ø260	100	12×5.6
9	812 Type TM850	30N006	A=700	ø260	ø260	100	12×5.6, 16×5
10	812 Type TM850A	P880021-P12	A=500	ø260	ø260	104	12×5.6, 14×5.6
11	812 Type TM850A	P880021-P23	A=520	ø260	ø260	100	12×5.6, 14×5.6
12	812 Type TM850A	P880021-P11	A=500	ø260	ø260	104	14×5.6, 16×5
13	812 Type TM850, DM0	30N0113-P16	A=500	ø260	ø260	104	14×5.6
14	812 Type TM850, DM0	XN0706	A=700	ø260	ø260	104	12×5.6, 14×5.6
15	812 Type TM850A	P880021-P23	A=700	ø260	ø260	104	14×5.6, 16×5
16	812 Type TM850	P880021-P21	A=500	ø260	ø260	104	14×5.6, 16×5
17	812 Type CR112	T225008	A=700	ø160×100	ø160	100	12×4.5, 6
18	812 Type CR321L	ICM0021-P1-2	A=580	ø140×125.5	ø140	110	12×4.5
19	812 Type CR321L	ICM0021-P4-5	A=700	ø140×125.5	ø140	110	12×5.6
20	812 Type CR335X, ED5	ICM0028-P1, 2	A=580	ø160×100	ø160	100	12×5.6
21	812 Type CR335X, ED5	ICM0028-P1	A=580	ø160×100	ø160	100	12×5.6

현대 TYPE




No.	모 형	도 형	FCD	내 길	길 이	길 이
1	현대 TDX T30	DHT30A	x500	x70	75	12x2
2	현대 TDX T30	DHT30B	x500	T.P. x50+x70	75	12x3
3	현대 Type T40	DHT40	x70	x90	94	12x3.4 ✓
4	현대 TDX T40	DHT40A	x70	x10	94	12x3.4
5	현대 TDX T50	DHT50	x70	x270	122	12x5.6
6	현대 TDX T6000L-70	HETD600L	x50	x270	108	12x4.5
7	현대 Type T6000L-70	현대 SHEAVE	x50	x270	108	12x4.5
8	현대 TDX T6000L-70	HETD600L	x50	종합형	108	12x4.5
9	현대 TDX T6000L-70	현대 SHEAVE	x50	x270	108	12x4.5
10	현대 TDX T6000L-70	HETD600L	x50	종합형	108	12x4.5
11	현대 TDX T6000L-70	현대 SHEAVE	x50	x270	108	12x4.5
12	현대 TDX T6000L-70	HETD600B	x70	종합형	127	12x5.6
13	현대 TDX T6000L-70	현대 SHEAVE	x70	x200	127	12x5.6
14	현대 TDX T6000L-70	HETD600B	x70	종합형	127	12x5.6
15	현대 TDX T6000L-70	현대 SHEAVE	x70	x300	127	12x5.6




DH TRACTION SHEAVE

금원사 · 세입산기 TYPE



No.	구조	도면	P.C.D	U.S.D	B	총 길이
1.	금원사 Traction DH701	DH-FA01A	ø510	ø60	56	12×3.4
2.	금원사 Traction DH701	DH-FA01B	ø510	T.P ø50×ø70	56	12×3.4
3.	금원사 Traction DH705	DH-FA05A	ø500	ø50	56	12×3.4
4.	금원사 Traction DH705	DH-FA05B	ø500	T.P ø54×ø74	56	12×3.4
5.	금원사 Traction RA03A	DH-FA3A	ø400	ø55	56	12×3.4
6.	금원사 Traction RA03A	DH-FA3B	ø400	T.P ø35.54×ø34.75	56	12×3.4
7.	금원사 Traction DH702	DH-FA07	ø420	ø70	58	12×4.5.6
8.	금원사 Traction DH703	DH-FA05	ø580	ø50	152	12×4.5.6.10×4.5.6
9.	금원사 Traction DH708	DH-FA06	ø770	ø40	200	12×8.16×8
10.	45# Traction DH001	DH-001	ø500	T.P ø54×ø74	94	12×3.4
11.	45# Traction DH001	DH-001	ø400	T.P ø75×ø55	94	12×3.4
12.	세입산기 Traction DH010	DH-010	ø500	ø300	150	18×5.14×5
13.	45# Traction DH102-250	DH-102-250	ø640	ø300	265	16×9
14.	45# Traction DH004	DH-004	ø340	ø300	265	16×9
15.	45# Traction DH005	DH-005	ø540	ø300	200	16×6
16.	45# Traction DH002	DH-002	ø520	ø270	175, 134	12×6.8

오토스·蚀률러 TYPE




No.	문 제	도 면	PCD	W.C.D	B	■ 수
1	20Tc Type SHEAVE	J020A000A	ø50	TP ø96.3 x ø93.8	26, 31	12.7x3.4
2	20Tc Type SHEAVE	J020A000B	ø50	TP ø96.3 x ø93.8	100, 108	12.7x5.6
3	20Tc Type SHEAVE	J020A000A	ø50	TP ø96.3 x ø93.8	76, 87	12.7x3.4
4	20Tc Type SHEAVE	J020A000A	ø50	TP ø96.3 x ø93.8	100, 108	12.7x5.6
5	20Tc Type SHEAVE	2P-J02000AJ	ø725	TP ø900 x ø75.3	26	12.7x3
6	20Tc Type SHEAVE	16TAN000B	ø725	TP ø95 x ø95	36	12.7x4
7	20Tc Type SHEAVE	06T37000AJ/T	ø600	TP ø10 x ø75.3	76	12.7x5
8	20Tc Type SHEAVE	T020A00A	ø500	TP ø10 x ø75.3	100	12.7x4.5
9	20Tc Type SHEAVE	16TTR000	ø500	TP ø10 x ø75.3	76	12.7x3
10	20Tc Type SHEAVE	DH-40	ø50	ø30	107	12.7x5.6
11	20Tc Type SHEAVE	DH-50	ø50	ø30	120	12.7x5.6
12	20Tc Type SHEAVE	DH-70	ø50	ø30	120	12.7x5.6
13	20Tc Type SHEAVE	DH-800	ø50	ø30	120	12.7x5.6
14	20Tc Type SHEAVE	DH-70	ø70	ø30	100	12.7x5.6.7
15	20Tc Type SHEAVE	DH-80	ø60	ø30	100	12.7x5.6.7
16	20Tc Type SHEAVE	DH-70	ø70	ø30	100	12.7x5.6.7
17	20Tc Type SHEAVE	DH-80	ø60	ø30	140	16x4
18	20Tc Type SHEAVE	DH-70	ø70	ø30	140	16x4.5




DH TRACTION SHEAVE

후지테크·한양공업 TYPE



No.	형 번	도 루	PCD	480±0	B	총 무
1	후지테크 Type 3-EA-V	DH-EM8	ø500	ø290×ø235	80	12×3.4
2	4시리즈 Type 3-EA-VS	DH-EM2	ø510	ø300	100	12×3.4
3	후지테크 Type SHEAVE	DH-XZST	ø700	ø370	175	12×4.5
4	후지테크 Type SHEAVE	EM09250AL1	ø500	ø290	34	12×3.4
5	후지테크 Type SHEAVE	EM09250AL3	ø600	ø300	34	12×3.4
6	4시리즈 Type SHEAVE	DH08-002A2B	ø500	ø290	74.86	12×3.4
7	후지테크 Type SHEAVE	DH08-002A2B	ø500	ø290	86	12×3.4
8	한양공업 Type SHEAVE	DH-45	ø450	T.P ø70×ø5	125	10×6.7
9	한양공업 Type SHEAVE	DH-45	ø500	T.P ø100×ø101.5	150	10×7
10	한양공업 Type SHEAVE	DH-45	ø500	T.P ø100×ø101.5	150	10×7
11	한양공업 Type SHEAVE	DH-50	ø500	T.P ø100×ø101.5	110	12×4.5
12	한양공업 Type SHEAVE	DH-50	ø540	T.P ø100×ø101.5	110	12×4.5
13	한양공업 Type SHEAVE	DH-45	ø500	T.P ø100×ø101.5	110	12×4.5
14	한양공업 Type SHEAVE	DH-500B	ø500	ø490×ø395	160	12.7×7
15	한양공업 Type SHEAVE	DH-4040-55	ø740	ø490×ø395	160	12.7×7

해상산전 · 수립 TYPE



No.	규격	호흡	P.C.D	W.B.C.O	B	총무
1	수립 Type SHEAVE	Φ450	Φ525	Φ50=Φ30 Φ110=Φ35	160	10×4, 5, 6 12×3, 4, 5, 6, 7 14×4, 5, 6
3	수립 Type SHEAVE	Φ470	Φ525			
1	수립 Type SHEAVE	Φ470	Φ525			
4	제작 Type SHEAVE		Φ480			
5	제작 Type SHEAVE		Φ500			
6	제작 Type SHEAVE		Φ550	Φ70	90	12×3, 4, 5
7	제작 Type SHEAVE		Φ560			
8	제작 Type SHEAVE		Φ580			
9	제작 Type SHEAVE		Φ590	Φ75	110	12×3, 4, 5
10	제작 Type SHEAVE		Φ600	Φ70	95, 110	12×3, 4, 5
11	제작 Type SHEAVE		Φ500		130	12×5, 6
12	제작 Type SHEAVE		Φ550	Φ30	150	14×5, 6
13	제작 Type SHEAVE		Φ560	Φ30	140	14×5, 6
14	제작 Type SHEAVE		Φ580	Φ300	175	16×5, 6
15	제작 Type SHEAVE		Φ700		194	16×6, 7
16	제작 Type SHEAVE		Φ740		164	16×5, 6
17	제작 Type SHEAVE		Φ790		158	16×5, 6
18	제작 Type SHEAVE		Φ520	Φ300	210	18×6, 7
19	제작 Type SHEAVE		Φ400		230	16×11




DH DEFLECTOR SHEAVE

화물용 · 주차용



No.	TYPE	P.C.D. HOLE-CITY	A距 B	空心轴 C	B距 D	PITCH	BEARING No.
1	DH 300A	ø300 x 12 x 3-4	90	90	ø150	18	6211ZZ
2	DH 300B	ø300 x 12 x 5-6	120	100	ø150	18	6211ZZ
3	DH 300A	ø300 x 12 x 3-4	90	90	ø150	18	6211ZZ
4	DH 350B	ø350 x 12 x 5-6	125	125	ø150	18	6211ZZ
5	DH 350A	ø350 x 12 x 3-4	95	95	ø150	18	6211ZZ
6	DH 380B	ø380 x 12 x 4-5	110	110	ø160	18	6211ZZ
7	DH 380C	ø380 x 12 x 5	135	100	ø150	18	6211ZZ
8	DH 400B	ø400 x 12 x 5	85	90	ø150	18	6211ZZ
9	DH 400B	ø400 x 12 x 4	95	90	ø150	18	6211ZZ
10	DH 400C	ø400 x 12 x 6-6	110	110	ø160	18	6211ZZ
11	DH 400D	ø400 x 12 x 6	140	100	ø160	18	6211ZZ
12	DH 400E	ø400 x 12 x 5-6	170	120	ø160	18	6211ZZ
13	DH 450A	ø450 x 12 x 3-4	95	90	ø160	18	6211ZZ
14	DH 450B	ø450 x 12 x 5	110	110	ø160	18	6211ZZ
15	DH 480C	ø480 x 16 x 4-6	135	125	ø160	22	6214ZZ
16	DH 480A	ø480 x 12 x 3	70	90	ø140	18	6211ZZ
17	DH 480B	ø480 x 12 x 3-4	90	90	ø170	18	6214ZZ
18	DH 480C	ø480 x 12 x 4-6	110	110	ø170	18	6214ZZ
19	DH 480D	ø480 x 14 x 5	125	125	ø170	22	6214ZZ
20	DH 500A	ø500 x 12 x 3-4	80	90	ø160	18	6214ZZ
21	DH 400B	ø500 x 12 x 5-6	120	120	ø200	18	6214ZZ
22	DH 400C	ø400 x 14 x 4-6	90	100	ø200	22	6214ZZ

화물용·주차용



No.	TYPE	P.C.D. ROPP. D.Y	ASIDE. B	ASIDE. C	ASIDE. D	PITCH	ASIDE. E
23	DH-25A	ø520 x 12 x 34	90	90	ø100	18	ø2622
24	DH-25B	ø520 x 12 x 34	110	110	ø100	18	ø2622
25	DH-30C	ø520 x 14 x 34	140	140	ø110	22	ø2622
26	DH-35A	ø530 x 14 x 34	140	140	ø100	22	ø2622
27	DH-50A	ø560 x 14 x 4	165	105	ø100	22	ø2622
28	DH-50B	ø560 x 14 x 5	120	120	ø110	22	ø2622
29	DH-50C	ø560 x 14 x 5	145	145	ø120	22	ø2622
30	DH-50D	ø560 x 16 x 5	160	160	ø120	26	ø2622
31	DH-60A	ø600 x 16 x 5	125	125	ø120	25	ø2622
32	DH-110B	ø110 x 16 x 5-6	160	160	ø100	25	ø2622
33	DH-60C	ø600 x 16 x 6	170	170	ø120	25	ø2622
34	DH-60D	ø600 x 16 x 6	220	220	ø140	25	ø2622
35	DH-62A	ø620 x 16 x 6	140	140	ø120	25	ø2622
36	DH-63B	ø650 x 16 x 6-7	185	185	ø120	25	ø2622
37	DH-62C	ø620 x 16 x 6	220	220	ø140	25	ø2622
38	DH-65D	ø650 x 16 x 10	260	260	ø160	25	ø2622
39	DH-65E	ø650 x 16 x 10	230	230	ø160	25	ø2622
40	DH-710A	ø710 x 16 x 7-8	230	210	ø180	25	ø2622
41	DH-700B	ø715 x 16 x 10	265	245	ø180	25	ø2622
42	DH-750A	ø750 x 16 x 6	185	185	ø175	25	ø2622
43	DH-750B	ø750 x 16 x 10	260	260	ø170	25	ø2622



PRODUCITOR ITEMS

■ TRACTION SHEAVE

■ DUMB WALTER SHEAVE

■ 電梯導輪 · 電梯導輪 · SHEAVE

■ DEFLECTOR SHEAVE

■ 亂流 SHAFT



(주)대협정기

서울특별시 구로구 신도림동 280-21

TEL : 02) 672-1501, 1502, 1504

FAX : 02) 672-1503

<http://www.daehyub-sheave.co.kr>